Xerox[®] AltaLink[®] Color Multifunction Printer

Smart, secure and connected Workplace Assistant.



C8030/C8035/C8045/C8055/C8070





Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer

Xerox® AltaLink devices provide new levels of capability and connectivity for mid-size and large workgroups and busy offices. With AltaLink, your extended workforce has instant and secure access to the documents, data and workflows it needs to work faster and more efficiently — from every location and with any device.

SMART AND PRODUCTIVE

From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® AltaLink C8000 Series is the color multifunction device today's workers have been waiting for.

Easy to manage as a standalone device or as part of an entire fleet, it's designed to enable fast multitasking and collaboration. Create customized 1-Touch Apps to automate multi-step workflows. Simply tap your new app to quickly perform the job you configured. And save time by scanning to multiple destinations, including a USB drive, network location and SMB share location, all in one operation.

With the touch of a button, you can go to our Xerox App Gallery and download simple, yet powerful, serverless apps to your AltaLink® device to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including Xerox® @printbyXerox App, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Airprint®, Mopria® and optional Wi-Fi Direct® provides the time-saving convenience your workforce wants and needs.

POWERFUL AND SCALABLE

Provide interactive training and support right from your desktop with our remote control panel. Enable serverless fleet management with Fleet Orchestrator. Configure a single device once, then let the Fleet Orchestrator deploy and manage configurations automatically and share automated workflows across devices.

Fewer maintenance hassles, less IT support, high-capacity paper trays and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing and faxing can be done simultaneously, allowing for multitasking during peak periods — and your choice of finishing options means you can configure your AltaLink device for any work environment and any document type, including booklets, brochures and pamphlets.

BUILT-IN SECURITY

Enjoy comprehensive security through our strategic approach to preventing intrusions and keeping documents and data safe. Our partnerships with McAfee® and Cisco® proactively address risks at the individual device, fleet and network level.

By interacting with the market-leading McAfee® DXL and Cisco® pxGrid platforms, Xerox® AltaLink devices employ an orchestrated response that neutralizes threats at their source the moment they occur.

Multiple layers of security include data encryption, disk overwrite and industry certifications. The innovative Configuration Watchdog ensures your AltaLink devices remain configured in accordance with your security policies.

COLOR WHERE IT COUNTS

With high resolution output of 1200 x 2400 dpi, photo-quality color images and crisp text will give your documents clarity and impact. You can also upgrade your AltaLink C8000 Series with the Xerox® EX-c C8000 Print

Server Powered by Fiery®, enabling office users to quickly, efficiently and cost effectively print professional-looking documents.

XEROX® CONNECTKEY® TECHNOLOGY

Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesturebased touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

Enables Next Generation Services

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at www.ConnectKey.com.





CHOOSE THE CONFIGURATION THAT MEETS YOUR NEEDS

- 1 Single-Pass Duplex Automatic Document Feeder (DADF) saves time by simultaneously scanning both sides of two-sided documents at up to 139 impressions per minute.
- **2 Convenience Stapler** (optional) staples up to 50 sheets of 20 lb/80 gsm media.
- **3 Bypass Tray** handles up to 100 sheets of 20 lb/80 gsm, also feeds up to 110 lb Cover/300 gsm media.
- **4 Two 520-sheet adjustable trays** (standard with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.
- **5 Envelope Kit** (optional replaces Tray 1) provides trouble-free feeding of up to 60 envelopes.
- 6 High-Capacity Tandem Tray Module (optional) brings the total paper capacity up to 3,140 sheets.
- **7 Four Tray Module** (optional with C8030/C8035) holds a total of 2,180 sheets.
- 8 High-Capacity Feeder (optional) holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.
- **9 Business Ready (BR) Finisher** (optional) gives you advanced finishing functions at a great value.

- 10 BR Booklet Maker Finisher (optional) provides advanced finishing with the capability to create 64-page saddle-stitched booklets (2 to 16 sheets).
- 11 C-Fold/Z-Fold Unit (optional) adds three folds: C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.
- **12 Offset Catch Tray (OCT)** (standard on all configurations and included with all finishers).
- **13 Integrated Office Finisher** (optional with C8030/C8035) provides 500-sheet stacking and 50-sheet, single-position stapling.
- 14 Office Finisher LX (optional with C8030/C8035/C8045/C8055) gives you advanced finishing functions at a great value, and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).
- 15 Xerox® Integrated RFID Card Reader E1.0 (optional) adds card-based authentication with support for over 90 access cards.
- 16 Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to the AltaLink® C8000 user panel and instantly connect with the MFP.



INTRODUCING MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Meet our all-new, 10.1-inch color touchscreen—the user interface that sets a higher standard for customization, ease of use and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing commonly used functions front and center. Don't like where a function or app is located? Want faster access to app settings? Easily customize the touchscreen's layout to make it yours.

This unmatched balance of hardware technology and software smarts helps everyone who interacts with the AltaLink® C8000 Series get more work done, faster. Try our new UI at www.xerox.com/AltaLinkUI.





Xerox® AltaLink C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer



DEVICE SPECIFICATIONS	AltαLink® C8030	AltaLink® C8035	AltαLink® C8045	AltaLink® C8055	AltaLink® C8070
Speed (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 50/55 ppm	Up to 70/70 ppm
Monthly Duty Cycle*	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages
Hard Drive/Processor/Memory	Minimum 250 GB HDD/In	tel® Atom™ Quad Core 1.91 GHz	z/2 MB Cache/8 GB system mem	ory	
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair				
Optional Controller	Xerox® EX-c C8000 Print Server Powered by Fiery®				
Copy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi				
First-Copy-Out Time (as fast as)	8.1 seconds color/6.7 seconds	nds black-and-white	7.8 seconds color/6.4	7.2 seconds color/5.7	5.2 seconds color/4.9
(from platen/warmed-up state)			seconds black-and-white	seconds black-and-white	seconds black-and-white
First-Print-Out Time (as fast as)	6.5 seconds color/5.3	6.4 seconds color/5.2	6.5 seconds color/5.3	6.0 seconds color/4.7	4.7 seconds color/4.0
	seconds black-and-white	seconds black-and-white	seconds black-and-white	seconds black-and-white	seconds black-and-white
Page Description Languages	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 19 in./89 x 98 mm to 320 x 483 mm (SEF) Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF)				
Paper Input Standard					
	Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF)				
Choose One Optional					
	140 x 182 mm to SRA3 (SEF) High Canacity Tandom Tray Module: 2 000 cheets: One 867 cheet paper tray and one 1123 cheet paper tray Sizes: 8.5 x 11 in /4/				
	High Capacity Tandem Tray Module: 2,000 sheets; One 867-sheet paper tray and one 1,133-sheet paper tray; Sizes: 8.5 x 11 in./A4 High-Capacity Feeder (HCF): 2,000 sheets; Size 8.5 x 11 in./A4 long edge feed				
Optional	Envelope Tray (replaces Tray 1): Up to 60 envelopes: #10 Commercial, Monarch, DL, C5				
Paper Output/ Standard				e-un Trav. 100 sheets	
Projection 2	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets Integrated Office Finisher (Available with C8030/C8035): 500-sheet stacker, 50 sheets stapled, single-position stapling				
Optional	Office Finisher LX (Available with C8030/C8035/C8045/C8055): 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch,				
	optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages))				
	BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching				
	BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch				
	booklet making (2 to 16 sheets, 64 pages) and V-folding				
	C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher Convenience Stapler: 50-sheet stapling (based on 80 gsm), includes Work Surface				
		-sheet stapling (based on 80 gs	m), includes Work Surface		
INTUITIVE USER EXPI	ή				
Customize		Customization with Xerox® App			
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Xerox® Pull Print Driver®, Xerox® House Express Driver®, Application Defaults, Application D				
Xerox® Embedded Web Server	PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog				
Remote Console/Preview	Remote Control Panel				
Print Features	Print from USB, Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode				
Scan and Fax	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, F				
	Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR)				
MOBILE AND CLOUD R					
Mobile Connectivity	Apple® AirPrint®, Google Cloud Print™ Ready, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android, NFC, Wi-Fi Direct Printing, Xerox® Print Service Plug-in for Android™				
Mobile Printing	Xerox®@printbyXerox App, See more at xerox.com/MobileSolutions; Optional: Xerox® Workplace Cloud/Suite Mobile Print Solution. Learn more at xerox.com/MobilePrintApp.				
Cloud Connectivity	Xerox App Gallery; Option	al: Connect for Salesforce, Con	nect for Google Drive™, Connect	for OneDrive®, Connect for Dro	ppBox™, Connect for Office
	365™, Connect for Box® and more at xerox.com/CloudConnectorApps .				
BENCHMARK SECURIT	Υ				
Network Security			y Orchestrator®, Network Auther		
Network Security	SSL, TLS, Security Certifica	tes, Automatic Self-signed Cert	y Orchestrator®, Network Auther ificate, Cisco® Identity Services E		
	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid	tes, Automatic Self-signed Cert integration	ificate, Cisco® Identity Services E	ingine (ISE) integration, autom	ated threat response through
Network Security Device Access	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin	ificαte, Cisco® Identity Services E g, Audit Log, Access Controls, Us	ingine (ISE) integration, autom er Permissions, Configuration V	vatchdog;
	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional : Smart Card Ena	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe	ificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read	ingine (ISE) integration, autom er Permissions, Configuration V er E1.0, NFC standard (authent	nated threat response through Watchdog; cication via
Device Access	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional : Smart Card Ena optional Xerox® Workplace	ites, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer	fificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn m	ingine (ISE) integration, autom er Permissions, Configuration V er E1.0, NFC standard (authent ore at xerox.com/WorkplaceS o	vatchdog; cication via plutions.)
	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES	ites, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated)	fificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn mand and Image Overwrite, McAfee E	engine (ISE) integration, autom er Permissions, Configuration V er E1.0, NFC standard (authent ore at xerox.com/WorkplaceSo mbedded Control Whitelisting,	Vatchdog; cication via blutions.) McAfee Integrity Control
Device Access Data Protection	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verific	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via	fficate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read it and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work	ingine (ISE) integration, automer er Permissions, Configuration V er E1.0, NFC standard (authent ore at xerox.com/WorkplaceSo mbedded Control Whitelisting, place Cloud/Suite Content Sec	Vatchdog; cication via blutions.) McAfee Integrity Control
Device Access Data Protection Document Security	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verific Common Criteria Certifica	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via	fificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn mand and Image Overwrite, McAfee E	ingine (ISE) integration, automer er Permissions, Configuration V er E1.0, NFC standard (authent ore at xerox.com/WorkplaceSo mbedded Control Whitelisting, place Cloud/Suite Content Sec	Vatchdog; cication via blutions.) McAfee Integrity Control
Device Access Data Protection Document Security ENABLES NEXT GENER	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verific Common Criteria Certifica	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via tion (ISO 15408), Encrypted Se	fificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read ht and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print D	er Permissions, Configuration ver Permissions, Configuration ver E1.0, NFC standard (authent ore at xerox.com/WorkplaceSombedded Control Whitelisting, splace Cloud/Suite Content Sectorivers	vatchdog; ication via blutions.) McAfee Integrity Control curity
Device Access Data Protection Document Security ENABLES NEXT GENER Print Management	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verifica Common Criteria Certifica RATION SERVICES Xerox® Standard Accountin	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/NET), Xe e Cloud/Suite Print Managemen 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via tion (ISO 15408), Encrypted Seg; Optional: Xerox® Workplace (1950)	ificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read it and Content Security; learn mand and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print D	er Permissions, Configuration Ver Permissions, Configuration Ver E1.0, NFC standard (authent ore at xerox.com/WorkplaceSombedded Control Whitelisting, place Cloud/Suite Content Sectorivers ft SafeQ, PaperCut and more at	vated threat response through Watchdog; cication via colutions.) McAfee Integrity Control curity xerox.com/PrintManagement.
Device Access Data Protection Document Security ENABLES NEXT GENER	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verific Common Criteria Certifica RATION SERVICES Xerox® Standard Accountin Xerox® Device Manager, X	tes, Automatic Self-signed Cert integration 'irewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via tion (ISO 15408), Encrypted Serg; Optional: Xerox® Workplace Gerox® CentreWare® Web, Xerox®	fificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read ht and Content Security; learn m and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print D	er Permissions, Configuration Ver Permissions, Configuration Ver E1.0, NFC standard (authent ore at xerox.com/WorkplaceSombedded Control Whitelisting, place Cloud/Suite Content Sectorivers ft SafeQ, PaperCut and more at	vated threat response through Watchdog; cication via colutions.) McAfee Integrity Control curity xerox.com/PrintManagement.
Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verific Common Criteria Certifica RATION SERVICES Xerox® Standard Accountin Xerox® Device Manager, X. Configuration Cloning, Flee	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via tion (ISO 15408), Encrypted Seg; Optional: Xerox® Workplace Gerox® CentreWare® Web, Xerox® et Orchestrator	ificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn mand Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print E Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated	er Permissions, Configuration Ver Permissions, Configuration Ver E1.0, NFC standard (authent ore at xerox.com/WorkplaceSombedded Control Whitelisting, place Cloud/Suite Content Sectorivers ft SafeQ, PaperCut and more at	vated threat response through Watchdog; cication via colutions.) McAfee Integrity Control curity xerox.com/PrintManagement.
Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management Sustainability	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verific Common Criteria Certifica RATION SERVICES Xerox® Standard Accountin Xerox® Device Manager, X: Configuration Cloning, Flee Cisco EnergyWise®, Print U	tes, Automatic Self-signed Cert integration 'irewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via tion (ISO 15408), Encrypted Serg; Optional: Xerox® Workplace Gerox® CentreWare® Web, Xerox®	ificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn mand Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print E Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated	er Permissions, Configuration Ver Permissions, Configuration Ver E1.0, NFC standard (authent ore at xerox.com/WorkplaceSombedded Control Whitelisting, place Cloud/Suite Content Sectorivers ft SafeQ, PaperCut and more at	vated threat response through Watchdog; cication via colutions.) McAfee Integrity Control curity xerox.com/PrintManagement
Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management Sustainability GATEWAY TO NEW POS	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verific Common Criteria Certifica RATION SERVICES Xerox® Standard Accountin Xerox® Device Manager, Xeconfiguration Cloning, Flee Cisco EnergyWise®, Print USSIBILITIES	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via tion (ISO 15408), Encrypted Se erox® CentreWare® Web, Xerox® to Orchestrator Ser ID on Margins, Earth Smart Ser ID on Margins, Earth Smart	ificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn mand and Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print E Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated Print Settings	er Permissions, Configuration Ver E1.0, NFC standard (authent ore at xerox.com/WorkplaceSombedded Control Whitelisting, place Cloud/Suite Content Sectiviers ft SafeQ, PaperCut and more at at Meter Read, Managed Print S	Natchdog; ication via blutions.) McAfee Integrity Control urity xerox.com/PrintManagement ervices Tools,
Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management Sustainability	SSL, TLS, Security Certifica McAfee DXL/Cisco pxGrid User Access and Internal F Optional: Smart Card Ena optional Xerox® Workplace Encrypted Hard Disk (AES (optional), Firmware Verifica Common Criteria Certifica RATION SERVICES Xerox® Standard Accountin Xerox® Device Manager, Xeconfiguration Cloning, Flee Cisco EnergyWise®, Print USSIBILITIES Go to xerox.com/AppGalle	tes, Automatic Self-signed Cert integration Firewall, Port/IP/Domain Filterin blement Kit (CAC/PIV/.NET), Xe e Cloud/Suite Print Managemer 256-bit, FIPS 140-2, Validated) cation, Job Level Encryption via tion (ISO 15408), Encrypted Se leg; Optional: Xerox® Workplace Gerox® CentreWare® Web, Xerox® et Orchestrator Seer ID on Margins, Earth Smart tery to learn how you can expan	ificate, Cisco® Identity Services E g, Audit Log, Access Controls, Us rox® Integrated RFID Card Read at and Content Security; learn mand Image Overwrite, McAfee E HTTPS and Drivers, Xerox® Work cure Print, FIPS Encrypted Print E Cloud/Suite, Nuance Equitrac, Yso ® Support Assistance, Automated	er Permissions, Configuration Ver E1.0, NFC standard (authent ore at xerox.com/WorkplaceSombedded Control Whitelisting, place Cloud/Suite Content Sectiviers ft SafeQ, PaperCut and more at at Meter Read, Managed Print Suite More and work in new ways with dedicated and work in new ways with dedicated in the programme of the safe and work in new ways with dedicated in the programme of the print of the safe and work in new ways with dedicated in the programme of t	Natchdog; ication via solutions.) McAfee Integrity Control urity xerox.com/PrintManagement ervices Tools, ated apps

 $^{^{\}star}\,\text{Maximum volume capacity expected in any one month.\,Not expected to be sustained on a regular basis.}$

For more detailed specifications, including the latest certifications,

go to www.xerox.com/AltalinkC8000Specs.

