Xerox® VersaLink® Colour Printer

Professional Colour, Media Flexibility and Benchmark Reliability



C9000





Xerox[®] VersaLink[®] C9000 Colour Printer

Consistently vibrant colour printing tuned with professional colour management tools. Outstanding media flexibility. Unparalleled performance and reliability. Network, mobile and cloud connected. App-based workflow customization. These are the capabilities that make the VersaLink® C9000 the printer of choice for graphic arts professionals and internal design groups alike. Businesses like advertising agencies, graphic design shops, marketing communications firms and photography studios can use the VersaLink® C9000 to bring their work and ideas to life with vivid colour and unparalleled quality.



A Printer You Can Count On

Designed for fast-moving workplaces that need professional-quality colour, the Xerox® VersaLink® C9000 helps close the gap between concept and reality with quality, performance and productivity enhancements.

NO HASSLES, JUST PERFORMANCE.

Right out of the box, you'll count on your Xerox® VersaLink® C9000 Colour Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards to step-by-step configuration options, you're ready to go — hassle free.

Designed for superior reliability, the VersaLink® C9000 Colour Printer features a new hardware design with fewer moving parts, strengthened paper path components and an advanced imaging system.

The most security-minded businesses and governments choose Xerox. We offer a comprehensive approach to print security that includes a powerful mix of built-in features and services that mitigate risk through a vigorous focus to prevent unauthorized access, detect suspect or malicious behaviour, and protect data and documents.



XEROX[®] CONNECTKEY[®] TECHNOLOGY

Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorized access, detect suspect or malicious behaviour, and protect data and documents.


Enables Next Generation Services

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at www.xerox.ca/en-ca/connectkey.



Build profit potential by keeping more of your print work in-house.

Looking for professional-quality colour? The Xerox® VersaLink® C9000 Colour Printer delivers the superior colour imaging technology and professional colour management tools that ensure consistent colour matching print after tabloid-size print. You'll be able to save time and money by producing more of your customer-facing collateral in-house.

- True 1200 x 2400 dpi. The Xerox® VersaLink® C9000 Colour Printer's high print resolution enables production of realistic-looking photos, presentation-quality images and graphics and fine-line detail that makes for sharp text, even in small fonts.
- The colours you expect, with reliable
 accuracy. PANTONE[®] calibrated solid-colour
 simulations work in concert with Xerox[®]
 Colour Correction technology and true
 Adobe[®] PostScript[®] 3[™] to deliver results that
 always match your expectations.
- Seeing is believing. You'll hit your colour targets with vivid images, rich and deep blacks and smooth colour transitions that have no streaking, banding or striping. Clients and prospects alike will be impressed by output that matches what they would get from a professional print shop.
- No-compromise colour matching. Combining incredibly powerful software with the Xerox® Precise Colour Meter powered by X-Rite, the Xerox® Precise Colour Management System adds professional-level colour control and helps maintain colour accuracy print after print, and across all output devices.



Reach new levels of accuracy with Xerox[®] Precise Colour Management System.

For graphic artists and colour professionals, colour matching is a critical task. The Xerox® Precise Colour Management System adds critical colour control capability through the combination of powerful software and the Xerox® Precise Colour Meter powered by X-Rite.

- Keep colours perfect. Environmental conditions, such as temperature and humidity, affect a printer's ability to produce consistently accurate colour. The Xerox[®] Precise Colour Management System quickly returns your printer to its factory-new settings.
- Emulate other devices. Use the Xerox® Precise Colour Management System to create custom colour sets that emulate larger press equipment, allowing in-house creation of prepress proofs. With our system, you can quickly set/reset saved colour profiles to keep your workflows efficient.
- Measure colours precisely. Powered by industry-leader X-Rite, the Xerox® Precise Colour Meter measurement device calibrates your monitor and the VersaLink® C9000 to match colours from swatch books or colour tables, ensuring accurately matched screen-to-print colours. (Included with Xerox® Precise Colour Management System.)
- Perfect your spot colours. Xerox® Precise Colour Management System not only allows fine-tuning of existing spot colours, but new, unique spot colours can be created for your colour proofs.

Advanced finishing options and broad media flexibility transform digital dreams to physical reality.

With the Xerox® VersaLink® C9000 Colour Printer, you can create finished pieces on a wide range of media to match the designer's intent.





Oversize output for 11 x 17 bleed



V-Fold



Multiposition stapling




2/3-hole punch

YOUR DESIGN ASSISTANT

Your design team wants to do more than just print. They want to produce elegant invitations, attention-getting posters, memorable booklets and high-performance direct mail. You can count on the Xerox® VersaLink® C9000 Colour Printer to help them create these and other high-value print pieces. They can choose media in weights from 75 to 350 gsm and sizes from 3.5 x 3.9 inches to 12.6 x 52 inches. And a range of advanced finishing devices enables automated production of booklets, brochures, proposals, newsletters, manuals, reports, business cards, packaging, signage, window decals, point-of-sale materials and more.


Media Weight Capabilities





93 lb Bond, 236 lb Text, 130 lb Cover, 215 lb Tag, 194 lb Index, 160 lb Bristol, 350 gsm. However you measure your paperweight, the VersaLink® C9000 can print on it.

Media Size Capabilities (in inches)



FINISHING APPLICATIONS





Xerox® VersaLink® C9000 Colour Printer Print. Mobile connectivity.

- **1 Card Reader Bay** and internal card reader compartment.
- **2 Front-Side USB port**¹ allows users to quickly print from any standard USB memory device.
- **3 100-Sheet Bypass Tray** handles media sizes from 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm and banners from 12.6 x 52 in./ 320 x 1,320.8 mm (64 to 350 gsm).
- **4 Tray 1** handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm).
- **5 Tray 2** handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).

MULTIPLE PAPER TRAY OPTIONS TO FIT EVERY NEED

- **6 Optional Envelope Kit** (replaces Tray 1) provides trouble-free feeding of up to 50 envelopes.
- **7 Two Tray Module** adds up to 1,040 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./ 100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).

- 8 High Capacity Feeder adds up to 2,000 sheets with standard sizes of 8.5 x 11 in., 7.25 x 10.5 in./ A4, B5 (64 to 216 gsm).
- **9 Tandem Tray Module** adds up to 2,000 sheets; 8.5 x 11 in./A4, B5 (64 to 300 gsm).

ADD INCREASED VERSATILITY WITH FINISHING OPTIONS

- **10 Dual Offset Catch Tray** (standard when finishers are not attached): 250 sheets each tray.
- **11 Optional BR Booklet Maker Finisher** provides the capability to create 64-page saddle-stitched and folded booklets (2 to 16 sheets).
- **12 Optional Office Finisher** gives you advanced finishing functions at a great value and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).

¹ USB port can be disabled.



INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our all-new, 5-inch colour touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C9000 Colour Printers get more work done, faster.



The VersaLink® C9000 Colour Printer is built on Xerox® ConnectKey® Technology.

For more information, visit **www.xerox.ca/en-ca/connectkey**.

DEVICE SPEC	CIFICATIONS	VersaLink® C9000DT					
Speed ¹		Up to 55 ppm letter/A4					
Monthly Duty Cycle ²		270,000 pages					
Hard Drive/Processor/Memory		1.6GHz ARM Dual-Core/4 GB/320 GB HDD					
Connectivity		Ethernet 10/100/1000Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair					
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform®, Xerox® App Gallery App, Xerox® Standard Accounting Tool, Role-Based Permissions, Convenience Authentication Enabled					
Print	Resolution	Up to 1200 x 2400 dpi					
First-print-out Time		As fast as 10.5 seconds colour/10 seconds black-and-white					
Page Description Languages		PCL [®] 5c/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL [®] /Adobe [®] PostScript [®] 3 [™]					
Colour Management		Embedded spot colour table with the ability to swap out PANTONE® approved colour table, Custom spot colour editor, optional Xerox® Precise Colour Management System software					
Paper Input Standard		Bypass Tray: Up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm; Banners: 12.6 x 52 in./320 x 1,320.8 mm (64 to 350 gsm) Tray 1: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 11.69 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm) Tray 2: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm)					
Optional		Two Tray Module: Up to 1,040 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm) Tandem Tray Module: Up to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 300 gsm) High Capacity Feeder: Up to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 216 gsm) Envelope Tray (replaces Tray 1): Up to 50 envelopes: #10 Commercial, Monarch, DL, C4, C5, C6 (75 to 90 gsm)					
Paper Output/	Standard	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each					
Finishing	Optional	Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole punch, optional booklet maker (score, saddle stitch) BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding					
Automatic Two-s	sided Printing	Standard					
INTUITIVE	USER EXPER	(IENCE					
Customize and Personalize		Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery					
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®					
Xerox [®] Embedded Web Server		PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning					
Remote Console		Remote Control Panel					
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Reco Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing, Skip Blank Pages, Draft Mode					
	D CLOUD RE						
Mobile Print		Apple® AirPrint®3, Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™, @printbyXerox					
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud, Connect via NFC/Wi-Fi Direct Printing Visit www.xerox.ca/en-ca/office/mobile-solutions for available apps.					
Cloud Connectors ⁴		Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more					
BENCHMARI		T					
Network Security		IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates					
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card-Enable (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader Bay, Trusted Platform Module (TPM)					
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Encrypted Apps with Embedded Certificate Support					
Document Secur	rity	Secure Print					
-		TION SERVICES					
Print Management		Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at www.xerox.ca/en-ca/office/software-solutions#printmanagement .					
Managing Print		Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools					
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins					
GATEWAY T	O NEW POSS	IBILITIES					
Xerox App Galler	у	Many apps and cloud services available. Visit www.xerox.com/AppGallery for a growing selection of Xerox® apps available for adding functions.					
¹ Declared print sp	eed in accordance	with ISO/IEC 24734. ² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis;					

¹ Declared print speed in accordance with ISO/IEC 24734. ² Maximum volume capacity expected in any one month. Not expected to be sustained on a ³ Visit **www.apple.com** for AirPrint Certification list; ⁴ Optional download from Xerox App Gallery to the Printer — **www.xerox.com/XeroxAppGallery**; l on a regular basis;

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications. Supplies Standard Capacity Toner Cartridges: Black: 18,900 pages ⁵ Cyar: 12,300 pages ⁵ Magenta: 12,300 pages ⁵ Yellow: 12,300 pages ⁵	106R04065 106R04062 106R04063 106R04064	High Capacity Toner Cartridges: Black: 31,400 pages ⁶ Cyan: 26,500 pages ⁶ Magenta: 26,500 pages ⁶ Yellow: 26,500 pages ⁶ Routine Maintenance Items: Drum Cartridge: 190,000 pages each colour ⁶ / 190,000 pages black ⁶ Waste Cartridge: Up to 47,000 pages ⁶ IBT Cleaner: Up to 160,000 pages ⁷	106R04077 106R04074 106R04075 106R04076 101R00602 108R01504 104R00256 116R00015	Options Xerox® Precise Colour Management System software Two Tray Module Tandem Tray Module High Capacity Feeder Envelope Tray (Replaces Tray 1) Office Finisher 2/3 Hole Punch for Office Finisher Booklet Maker for Office Finisher Booklet Maker Finisher with 2/3 Hole Punch	097S04974 097S04969 097S04970 097S04845 497K17880 097S05019 497K20600 497K03852 497K20590
		Hanster Koller. Op to 200,000 pages	110K00013	Wireless Network Adapter (Wi-Fi Kit) Internal Card Reader/RFID Kit	497K16750 497K18120

⁵ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.
 ⁶ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.
 ⁷ Configurations vary by geographical location.

For more detailed specifications, go to www.xerox.com/C9000PrinterSpecs.

© 2021 Xerox Corporation. All rights reserved. Xerox®, ConnectKey®, DocuShare®, Global Print Driver®, VersaLink®, and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 08/21 TSK-1695 BR26787 VC9BR-01CD



ConnectKey[®]

Technology